

PRE-CALCULUS FIRST SEMESTER REVIEW

Non-Graphing Calculator

For the following:

- (a) Identify the parent
- (b) State the transformation rule(s).
- (c) Sketch the graph.

1.5 1. $f(x) = \frac{1}{x+2} - 3$

a) _____

b) _____

1.4 2. $f(x) = -2|x+3| + 1$

a) _____

b) _____

1.5 3. $f(x) = -2(x+1)^2 + 4$

2.1

a) _____

b) _____

Vertex: _____

Axis of symmetry: _____

1.5 4. $f(x) = x^2 + 8x + 11$

2.1

a) _____

b) _____

Vertex: _____

Axis of symmetry: _____

3.3 5. $f(x) = \log(x-2)$

a) _____

b) _____

3.3 6. $f(x) = \ln(1-x) - 3$

a) _____

b) _____

3.1 7. $f(x) = 3^{x+2}$

a) _____

b) _____

Solve. Check for extraneous roots.

P3 8. $2(5 - 2y) - 3(1 - y) \geq y + 1$

P3 9. $\frac{x-2}{3} + \frac{x+5}{2} = \frac{1}{3}$

P5 10. $|2x - 5| > 4.2$

P5 11. $|-x + 4| - 3 \leq 7$

P5 12. $\frac{3x}{x+1} + \frac{5}{x-2} = \frac{15}{x^2 - x - 2}$

2.7

P5 13. $4x^2 - 7x + 5 = 0$

P5 14. $-3 \leq 1 - 2x < 7$

2.8 15. $\frac{2x+1}{(x+3)(x-1)} \leq 0$

2.8 16. $x^3 - 2x^2 + x \geq 0$

2.8 17. $\frac{2}{x+1} - \frac{3}{x-5} > 0$

P1 Simplify. Express your answer without negative exponents.

$$18. \frac{(uv^{-2})^{-3}}{u^{-5}v^2}$$

$$19. \frac{4a^3b}{a^2b^3} \cdot \frac{3b^2}{2a^2b^4}$$

P4 20. Write a general form equation of a line a) parallel to and b) perpendicular to $5x - y = 7$ and passing through the point $(3, -4)$.

1.2 Find the domain. Express the answer in interval notation.

$$21. f(x) = \sqrt{x^2 + 3}$$

$$22. f(x) = \frac{\sqrt{x}}{x-5}$$

1.3 Prove algebraically whether the function is even, odd, or neither.

$$23. f(x) = 3x^3 - 2x$$

$$24. f(x) = -2x^4 - 4x + 7$$

1.4 Given $f(x) = (x - 4)^2$, $g(x) = 2x - 3$ and $h(x) = \sqrt{x+5}$ Find and simplify the answer.

$$25. f \circ h(4)$$

$$26. g(f(x))$$

$$27. f + g$$

$$28. fg$$

1.4 29. Given: $f(x) = x^3 + 2$. Find $f^{-1}(x)$.

1.4 30. Prove that f and g are inverses of each other.

$$f(x) = 2x + 8 \quad g(x) = \frac{x - 8}{2}$$

2.3 Describe the end behavior of the polynomial using limit notation.

31. $f(x) = -2x^3 + 4x^2 + 1$

32. $f(x) = 3x^4 + x^2 - 5$

2.3 Find the zeros of the function algebraically.

33. $f(x) = 3x^2 + 2x - 5$

34. $f(x) = x^3 - 36x$

2.4 Find the zeros of the function and write the function as a product of linear and irreducible quadratic factors all with real coefficients.

35. $f(x) = x^3 - x^2 - x - 2$, given that $x = 2$

36. $f(x) = x^4 + 3x^3 - 3x^2 + 3x - 4$, given that $x = 1$ and $x = -4$

2.7 Find (if it exists) the a) asymptotes b) intercepts and c) domain of the function. Sketch the graph by hand.

37. $g(x) = \frac{4x-5}{x-3}$

38. $g(x) = \frac{2x^2}{x^2-x-6}$

3.3 39. Simplify

a) $\log_{11} 11^4$

b) $\log_5 1$

c) $\ln \frac{1}{e}$

d) $\log \sqrt[4]{10}$

e) $\log 0.1$

f) $3^{\log_3 7}$

GRAPHING CALCULATOR

1.1 Solve by graphing.

40. $3x - 2 = \sqrt{x+4}$

41. $f(x) = x^3 + x^2 - 5x + 3$

1.2 42. Find all a) local maxima and minima and b) identify intervals on which the function is increasing, decreasing or constant.

$f(x) = x^3 + 2x^2 - 6x$

1.2 Graph the function and tell whether or not it has a point of discontinuity at $x = 0$. If there is a discontinuity, tell whether it is removable or non-removable.

43. $f(x) = \frac{|x|}{x}$

44. $h(x) = \frac{x^2 + x}{x}$

1.3 Sketch the graph of the piecewise-defined function. State whether the function is continuous or discontinuous at $x = 0$.

45. $f(x) = \begin{cases} x & \text{if } x \leq 0 \\ x^2 & \text{if } x > 0 \end{cases}$

46. $f(x) = \begin{cases} -|x| & \text{if } x < 0 \\ 2 & \text{if } x \geq 0 \end{cases}$

1.6 47. Sue invested \$10,000, part at 3.6% annual interest and the balance 7.8% annual interest. How much is invested at each rate if a 1-year interest payment is \$667.02?

1.6 48. Joe Pearlman received a 3.5% pay decrease. His salary after the decrease was \$27,985. What was his salary before the decrease?

1.6 49. The chemistry lab at the University of Hardwoods keeps two acid solutions on hand. One is 20% acid and the other is 35% acid. How much 20% acid solution and how much 35% acid solution should be used to prepare 25 liters of a 26% acid solution?

2.1 50. Write an equation for the linear function f with $f(-3) = -2$ and $f(4) = -8$. Express your answer in standard form.

2.2 51. Write the statement as a power function equation and answer the question. The electrical resistance of a wire varies directly as its length and inversely as the square of the diameter of the wire. Suppose 50 mm of a wire of diameter 3 mm has a resistance of 8Ω . What is the resistance of 40 mm of the same type of wire if the diameter is 4 mm?

2.1 52. The table below gives the weight and pulse rate of selected mammals.
a) Write a power regression equation and state the power and constant of variation.

Mammal	Body Weight	Pulse Rate(beats/min)
<i>Rat</i>	<i>0.2</i>	<i>420</i>
<i>Guinea pig</i>	<i>0.3</i>	<i>300</i>
<i>Rabbit</i>	<i>2</i>	<i>205</i>
<i>Small dog</i>	<i>5</i>	<i>120</i>
<i>Large dog</i>	<i>30</i>	<i>85</i>
<i>Sheep</i>	<i>50</i>	<i>70</i>
<i>Human</i>	<i>70</i>	<i>72</i>

b) Use the regression equation to determine the pulse rate of a human weighing 12 pounds.

2.4 Divide. Write a summary statement in polynomial form. Determine if the first polynomial is a factor of the second polynomial.

53. $2x + 1; 6x^3 - 5x^2 + 9$

54. $x - 5; x^3 - 4x^2 - 7x + 10$

2.4 & 2.6 Find a polynomial equation with the given zeros.

55. $\frac{1}{3}, -2, 5$

56. $-1, 2 - i$

2.5 57. Write in $a + bi$ form: $\frac{2 + 4i}{3 - 2i}$

3.2 58. Shan invested \$100 at 3.5% interest compounded monthly. How long will it take for her
3.6 investment to double? Solve algebraically and graphically.

3.2 59. A radioactive isotope decays at a rate of 3% per day. A scientist has an initial amount of 50 g. Write an equation of the form $y = ab^x$ for the number of grams y remaining after x days. Determine approximately how many days it will take for half the isotope to decay. Solve algebraically and graphically.

3.6 60. Find the amount accumulated after investing a principal of \$3000 for 3 years at an interest rate of 6.5% (a) compounded annually (b) compounded continuously.

3.4 61. Rewrite the expression as a sum or difference of multiple logarithms.

a) $\log_3(a^2 b)$

b) $\log_3 \frac{\sqrt{a}}{bc}$

3.4 62. Express as a single logarithm. Simplify.

a) $2\log r - \log q + 3\log w$

b) $\frac{1}{3}\log 27 - 2\log 4$

3.5 Solve.

63. $2(5)^x = 26$

64. $\log x = -2$

65. $2e^x = 3.4$

66. $\log_3(2 - 3x) + 5 = 9$

67. $\log(x^2 + 21x) = 2$

68. $\log_2(x - 1) - \log_2(2x + 3) = 3$

